

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	30	(US-20010034175-\$ or US-20010039161-\$ or US-20010041490-\$ or US-20020004354-\$ or US-20020039870-\$ or US-20030148696-\$ or US-20040245521-\$).did. or (US-4511599-\$ or US-5730635-\$ or US-5746635-\$ or US-5788550-\$ or US-5803781-\$ or US-5912652-\$ or US-6257945-\$ or US-6302756-\$ or US-6390874-\$ or US-6617772-\$ or US-6392334-\$ or US-6741019-\$ or US-5839668-\$ or US-5939822-\$ or US-6177759-\$ or US-6618112-\$ or US-6392750-\$ or US-5717287-\$ or US-6485596-\$ or US-3670646-\$).did. or (JP-2002153781-\$). did. or (JP-11344713-\$ or JP-10237216-\$). did.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/03/02 09:42
L9	9	8 and ((magnet\$5 electrostatic) near5 (wall partition rib bank divider spacer))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/02 10:35
L10	6157	((("charge coupled device") ccd (charge near2 coupled near2 device)) near2 (position positioning align\$5 adjust put arrange set place mount mounting))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/02 10:38
L11	648	10 and (FED (field near3 emission) FPD (flat near3 panel)) and (wall partition rib bank divider spacer)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/02 10:40
L12	2364	(445/24,25).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/02 10:40
L13	9	11 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/02 10:53
L14	1	("6392334").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/02 10:53
S1	1961	(445/24,25).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/01 10:13
S2	1961	(445/24,25).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/28 11:37
S3	1463	S2 and (hold\$3 support\$3 grasp\$3 clamp\$3 jig block chuck jaws mount\$3 chassis)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/28 11:37

S4	1033	S3 and (wall partition partitioning rib bank divider spacer)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/28 11:38
S5	316	S4 and (electrostatic electro magnet electro magnetic magnet\$5 static inductive inducing)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/28 11:40
S6	57	S5 and ((electrostatic electro magnet electro magnetic magnet\$5 static inductive inducing) near10 (hold\$3 support\$3 grasp\$3 clamp\$3 jig block chuck jaws mount\$3 chassis))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/28 17:24
S7	1	("20010017518").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/28 17:24
S8	1	("6392334").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/01 10:13
S9	11	("5185554"   "5209687"   "5591061"   "5627436"   "5821689"   "5828352"   "5925979"   "6011567"   "6149480"   "6254449"   "6416374").PN. OR ("6821174").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 11:14
S10	20	("20010009178"   "20010025608"   "20010036682"   "20020046706"   "20020096116"   "20020104618"   "20020108574"   "4969168"   "5622634"   "5792304"   "5906684"   "5961774"   "5985035"   "6048434"   "6129046"   "6169356"   "6217705"   "6221201"   "6336991"   "6582268").PN. OR ("6846213").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 11:28
S11	1110	"electrostatic chuck".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 11:29
S12	0	S11 and "spacer".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 11:29
S13	0	S11 and "wall".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 11:29
S14	0	S11 and position.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 11:29
S15	4	S11 and ("electrostatic chuck" near2 spacer)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 11:31

S16	4	"electrostatic chuck" near2 spacer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 11:31
S17	143	electrostatic near2 spacer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 11:31
S18	7	("4302481"   "4319717"   "4780028"   "5109893"   "5213271"   "5240185"   "5615830").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 11:52
S19	2	"spacer metering device"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 11:55
S20	10	"electrostatic gun" and spacer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 12:02
S21	25	(US-20010034175-\$ or US-20010039161-\$ or US-20010041490-\$ or US-20020004354-\$ or US-20020039870-\$ or US-20030148696-\$).did. or (US-4511599-\$ or US-5730635-\$ or US-5746635-\$ or US-5788550-\$ or US-5803781-\$ or US-5912652-\$ or US-6257945-\$ or US-6302756-\$ or US-6390874-\$ or US-6617772-\$ or US-6392334-\$ or US-6741019-\$ or US-5839668-\$ or US-5939822-\$ or US-6177759-\$ or US-6618112-\$).did. or (JP-2002153781-\$).did. or (JP-11344713-\$ or JP-10237216-\$).did.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/03/01 12:53
S22	10	S21 and magnet\$5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 12:53
S23	1968	(445/24,25).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/01 12:55
S24	0	S23 and ("magnetic holding member")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 12:55
S25	8	S23 and (magnet\$5 near3 hold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 13:06
S26	18	("4940916"   "5129850"   "5138237"   "5191217"   "5283500"   "5456986"   "5681196"   "5698934"   "5726524"   "5872422"   "5973444"   "6020677"   "6057637"   "6062931"   "6129901"   "6232706"   "6250984").PN. OR ("6741019").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 12:57

S27	110584	("charged coupled device" or CCD)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 13:07
S28	91229	S27 and (position positioning align\$5 adjust put arrange set place mount mounting)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 13:09
S29	20710	S28 and (FED (field near3 emission) FPD (flat near3 panel))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 13:10
S30	18998	S29 and (marks markings groove grooves indentation\$3 path paths etch\$3 cut\$3 indenture well wells recess\$3 trough)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 13:13
S31	6814	S30 and magnet\$5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 13:20
S32	2378	S31 and "charge coupled device"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 13:21
S33	977	S32 and (spacer spacers wall walls)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 14:03
S34	1	S33 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 13:22
S35	18	S33 and "field emission display"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 14:24
S36	1	("6618112").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/01 14:25
S37	1	("6741019").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/01 14:39
S38	17255	(chuck jig ((hold\$3 support\$3) near3 (member means element apparatus device))) same ((electro\$static\$5 electro\$magnet\$5 induct\$3 magnet\$5 static\$3) with (field energy source)) same (spacer (support\$3 near3 (member element)) bulkhead rib barrier wall rampart)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 15:03

S39	6122	(chuck jig ((hold\$3 support\$3) near3 (member means element apparatus device))) same (((electro\$static\$5 electro\$magnet\$5 induct\$3 magnet\$5 static\$3) with (field energy source)) with (spacer (support\$3 near3 (member element)) bulkhead rib barrier wall rampart))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/01 15:16
S40	810	(chuck jig ((hold\$3 support\$3) near3 (member means element apparatus device))) same (((electro\$static\$5 electro\$magnet\$5 induct\$3 magnet\$5 static\$3) with (field energy source)) with (spacer (support\$3 near3 (member element)) bulkhead rib barrier wall rampart))	EPO; JPO; DERWENT	OR	ON	2005/03/01 15:04
S41	280	(chuck jig ((hold\$3 support\$3) near3 (member means element apparatus device))) same (((electro\$static\$5 electro\$magnet\$5 induct\$3 magnet\$5 static\$3) with (field energy source)) with (spacer (support\$3 near3 (member element)) bulkhead rib barrier wall rampart)) same (locat\$3 position\$3 location attach\$3 affix)	EPO; JPO; DERWENT	OR	ON	2005/03/01 15:08
S42	13	(chuck jig ((hold\$3 support\$3) near3 (member means element apparatus device))) same (((electro\$static\$5 electro\$magnet\$5 induct\$3 magnet\$5 static\$3) with (field energy source)) with (spacer (support\$3 near3 (member element)) bulkhead rib barrier wall rampart)) same (locat\$3 position\$3 location attach\$3 affix) same substrate	EPO; JPO; DERWENT	OR	ON	2005/03/01 15:09
S43	705	(chuck jig ((hold\$3 support\$3) near3 (member means element apparatus device))) same (((electro\$static\$5 electro\$magnet\$5 induct\$3 magnet\$5 static\$3) with (field energy source)) with (spacer (support\$3 near3 (member element)) bulkhead rib barrier wall rampart)) same (substrate plate panel front\$panel front\$plate back\$panel back\$plate rear\$panel rear\$plate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/01 15:31
S44	3	(chuck jig ((hold\$3 support\$3) near3 (member means element apparatus device))) same (((electro\$static\$5 electro\$magnet\$5 induct\$3 magnet\$5 static\$3) with (field energy source)) with (spacer (support\$3 near3 (member element)) bulkhead rib barrier wall rampart)) same (substrate plate panel front\$panel front\$plate back\$panel back\$plate rear\$panel rear\$plate) and "264"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/01 15:35

S45	0	(chuck jig ((hold\$3 support\$3) near3 (member means element apparatus device))) same (((electro\$static\$5 electro\$magnet\$5 induct\$3 magnet\$5 static\$3)) with (spacer (support\$3 near3 (member element)) bulkhead rib barrier wall rampart)) same (substrate plate panel front\$panel front\$plate back\$panel back\$plate rear\$panel rear\$plate) and "264"/\$.ccls. and "445"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/01 15:37
S46	49	(chuck jig ((hold\$3 support\$3) near3 (member means element apparatus device))) same (((electro\$static\$5 electro\$magnet\$5 induct\$3 magnet\$5 static\$3)) with (spacer (support\$3 near3 (member element)) bulkhead rib barrier wall rampart)) same (substrate plate panel front\$panel front\$plate back\$panel back\$plate rear\$panel rear\$plate) and ("264"/\$.ccls. or "445"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/01 15:41
S47	8	("2303395"   "3670646"   "5853446"   "6110401"   "6136128"   "6251208").PN. OR ("6485596").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/01 16:48
S48	1	("20040121695").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/01 16:49